

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>1</b>	<b>L1</b>	<b>6587</b>	<b>allocat\$ near2 (bandwidth or resource)</b>	<b>USPAT</b>
<b>2</b>	<b>L2</b>	<b>707</b>	<b>(allocat\$ near2 (bandwidth or resource)).ti,ab.</b>	<b>USPAT</b>
<b>3</b>	<b>L3</b>	<b>275</b>	<b>2 and (allocat\$ near2 (bandwidth or resource)) with network</b>	<b>USPAT</b>
<b>4</b>	<b>L4</b>	<b>163</b>	<b>3 and priorit\$7</b>	<b>USPAT</b>
<b>5</b>	<b>L5</b>	<b>16</b>	<b>4 and (server with allocat\$4)</b>	<b>USPAT</b>
<b>6</b>	<b>L6</b>	<b>74</b>	<b>(allocat\$ near2 bandwidth) with server</b>	<b>USPAT</b>
<b>7</b>	<b>L7</b>	<b>39</b>	<b>6 and priorit\$</b>	<b>USPAT</b>
<b>8</b>	<b>L8</b>	<b>34</b>	<b>7 not 5</b>	<b>USPAT</b>
<b>9</b>	<b>L9</b>	<b>6</b>	<b>(bandwidth and priorit\$ and server and allocat\$4).ti,ab.</b>	<b>USPAT; EPO; JPO; Derwent; IBM TDB</b>
<b>10</b>	<b>L10</b>	<b>246</b>	<b>(allocat\$ near2 (resource or bandwidth) with server)</b>	<b>USPAT</b>
<b>11</b>	<b>L12</b>	<b>79</b>	<b>11 not 8 not 7 not 5</b>	<b>USPAT</b>
<b>12</b>	<b>L11</b>	<b>100</b>	<b>10 same client</b>	<b>USPAT</b>
<b>13</b>	<b>L13</b>	<b>92</b>	<b>(allocat\$ near2 (bandwidth) with server)</b>	<b>USPAT; EPO; JPO; Derwent; IBM TDB</b>
<b>14</b>	<b>L14</b>	<b>29</b>	<b>13 same client</b>	<b>USPAT</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>1</b>	<b>L1</b>	<b>102488</b>	<b>(user or subscriber or client) near4 request\$3</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>2</b>	<b>L2</b>	<b>28171</b>	<b>(allocat\$4 or assign\$4 or apportion\$3) near3 (bandwidth or resource)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>3</b>	<b>L3</b>	<b>825</b>	<b>(allocat\$4 or assign\$4 or apportion\$3 or reallocat\$3 or redistribut\$3 or reassign\$4 or reapportion\$4) near3 (bandwidth or resource) same (base\$1 or according or depend\$3) near5 (request)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>4</b>	<b>L4</b>	<b>1005</b>	<b>(allocat\$4 or assign\$4 or apportion\$3 or reallocat\$3 or redistribut\$3 or reassign\$4 or reapportion\$4) near3 (bandwidth or resource) same (base\$1 or according or depend\$3) near5 (request\$3)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>5</b>	<b>L5</b>	<b>210</b>	<b>1 same 4</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>6</b>	<b>L6</b>	<b>39</b>	<b>5 and (@ad&lt;19970510 or @prad&lt;19970510)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>7</b>	<b>L7</b>	<b>2</b>	<b>"6578077"</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>8</b>	<b>L8</b>	<b>1</b>	<b>7 and user</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>
<b>9</b>	<b>L9</b>	<b>82</b>	<b>1 and 4 and (ftp or http)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>10</b>	<b>L10</b>	<b>4</b>	<b>9 and (@ad&lt;19970510 or @prad&lt;19970510)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>
<b>1</b>	<b>L1</b>	<b>15</b>	<b>(reallocat\$4 or re-allocat\$3 or redistribut\$3 or re-distribut\$3 or reassign\$3 or re-assign\$3 or rebalanc\$3 or re-balanc\$3) near5 (resource or bandwidth) near3 (assign\$2 or reserved) near3 (client or user)</b>
<b>2</b>	<b>L2</b>	<b>127</b>	<b>server near3 (bandwidth near2 allocat\$3)</b>
<b>3</b>	<b>L3</b>	<b>26</b>	<b>(1 2) and @pd&gt;20030721</b>
<b>4</b>	<b>L4</b>	<b>0</b>	<b>3 and (@ad&lt;19970510 or @prad&lt;19970510)</b>
<b>5</b>	<b>L5</b>	<b>4430 5</b>	<b>load near3 balanc\$3 or allocat\$4 near3 (resource or bandwidth)</b>
<b>6</b>	<b>L6</b>	<b>7808</b>	<b>5 with (server or client or user)</b>
<b>7</b>	<b>L7</b>	<b>1</b>	<b>(allocat\$4 near5 (bandwidth or resource) near5 ((data or information or request) near2 type)) and (@ad&lt;19970530 or @prad&lt;19970530) and @pd&gt;20030721</b>
<b>8</b>	<b>L8</b>	<b>1793</b>	<b>6 with request\$3</b>
<b>9</b>	<b>L9</b>	<b>3885</b>	<b>(reallocat\$4 or re-allocat\$3 or redistribut\$3 or re-distribut\$3 or reassign\$3 or re-assign\$3 or rebalanc\$3 or re-balanc\$3) near5 (resource or bandwidth or load)</b>
<b>10</b>	<b>L10</b>	<b>245</b>	<b>8 and 9</b>
<b>11</b>	<b>L11</b>	<b>38</b>	<b>10 and (@ad&lt;19970510 or @prad&lt;19970510)</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>
<b>12</b>	<b>L12</b>	<b>440</b>	<b>(reallocat\$4 or re-allocat\$3 or redistribut\$3 or re-distribut\$3 or reassign\$3 or re-assign\$3 or rebalanc\$3 or re-balanc\$3 or re-apportion\$4) near5 (resource or bandwidth or load) near5 (client or server or user or subscriber or participant)</b>
<b>13</b>	<b>L13</b>	<b>89</b>	<b>12 and (@ad&lt;19970510 or @prad&lt;19970510)</b>
<b>14</b>	<b>L14</b>	<b>69</b>	<b>13 not 11 not 1 not 3</b>
<b>15</b>	<b>L15</b>	<b>19</b>	<b>5802301.URPN.</b>
<b>16</b>	<b>L16</b>	<b>83</b>	<b>reserv\$5 near4 (bandwidth or resource) near4 (server or central or service adj provider) with (user or subscriber or participant or client)</b>
<b>17</b>	<b>L17</b>	<b>17</b>	<b>16 and (@ad&lt;19970510 or @prad&lt;19970510)</b>
<b>18</b>	<b>L18</b>	<b>662</b>	<b>bandwidth near5 guarantee\$3 near5 (maximum or minimum)</b>
<b>19</b>	<b>L19</b>	<b>246</b>	<b>18 same (audio or video or user or subscriber or client)</b>
<b>20</b>	<b>L20</b>	<b>52</b>	<b>19 and (@ad&lt;19970510 or @prad&lt;19970510)</b>
<b>21</b>	<b>L21</b>	<b>19</b>	<b>5200952.URPN.</b>

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>
<b>1</b>	<b>L1</b>	<b>576</b>	<b>((bw or bandwidth) near5 available) same ((client or user) with request\$3)</b>
<b>2</b>	<b>L2</b>	<b>298</b>	<b>1 and (allocat\$3 or reallocat\$3) with (resource or bandwidth)</b>
<b>3</b>	<b>L3</b>	<b>89</b>	<b>(2) and (@ad&lt;19970530 or @prad&lt;19970530)</b>
<b>4</b>	<b>L4</b>	<b>248</b>	<b>1 and (allocat\$3 or reallocat\$3 or preallocat\$3 or redistribut\$3 or re-distribut\$3) with (user or client or workstation or participant)</b>
<b>5</b>	<b>L5</b>	<b>210</b>	<b>2 and 4</b>
<b>6</b>	<b>L6</b>	<b>70</b>	<b>(5) and (@ad&lt;19970530 or @prad&lt;19970530)</b>
<b>7</b>	<b>L7</b>	<b>42</b>	<b>(allocat\$4 near5 (bandwidth or resource) near5 ((data or information or request) near2 type)) and (@ad&lt;19970530 or @prad&lt;19970530)</b>
<b>8</b>	<b>L8</b>	<b>12</b>	<b>(reallocat\$4 or re-allocat\$3 or redistribut\$3 or re-distribut\$3 or reassign\$3 or re-assign\$3 or rebalanc\$3 or re-balanc\$3) near5 (resource or bandwidth) near3 (assign\$2 or reserved) near3 (client or user)</b>
<b>9</b>	<b>L9</b>	<b>5</b>	<b>(reallocat\$4 or re-allocat\$3 or redistribut\$3 or re-distribut\$3 or reassign\$3 or re-assign\$3 or rebalanc\$3 or re-balanc\$3) with bandwidth with (assign\$2 or reserved) near3 (client or user)</b>